

Group Theory

MT on Sylow Theorems

November 2004

Ali Nesin

G stands for a finite group.

1. Let H and K be two subgroups of G . For $x \in G$, the set HxK is called a **double coset** (of H and K).

1a. Show that the double cosets partition G .

1b. Show that $|G : H| = \sum_{x \in G} |K : K \cap H^x|$. (Hint: Use part a to count the number of right cosets of H in a different way).

1c. Assume G is finite and that H is a Sylow p -subgroup of G . Show that for some $x \in G$, $K \cap H^x$ is a Sylow p -subgroup of K .

2. Let P be a p -subgroup which is the Sylow subgroup of $N_G(P)$. Show that P is a Sylow p -subgroup of G .

3. Let P be a Sylow p -subgroup of G and let $H \triangleleft G$. Show that $H \cap P$ is a Sylow p -subgroup of H .

4 (Frattini Argument). Let $H \triangleleft G$ and P be a Sylow p -subgroup of H . Show that $G = H N_G(H)$.

5. Let $H \leq G$.

5a. Let P be a Sylow p -subgroup of G . Show that if $N_G(P) \leq H$, then $H = N_G(H)$.

5b. Let P be a Sylow p -subgroup of H . Show that if $N_G(P) \leq H$, then P is a Sylow p -subgroup of G .

5c. Assume that for any $1 \neq K \leq H$, $N_G(K) \leq H$. Show that $|H|$ and $|G/H|$ are prime to each other.